



COPYRIGHT © 2003 BY ENGeo INCORPORATED. THIS DOCUMENT MAY NOT BE REPRODUCED IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER, NOR MAY IT BE QUOTED OR EXCERPTED WITHOUT THE EXPRESS WRITTEN CONSENT OF ENGeo INCORPORATED.



EXPLANATION

- APPROXIMATE LOCATION OF CONE PENETRATION TEST (ENGeo, 2002)
- APPROXIMATE LOCATION OF BORING (ENGeo, 2002)
- APPROXIMATE LOCATION OF PREVIOUS BORING (<20')
- APPROXIMATE LOCATION OF PREVIOUS BORING (20'-40')
- APPROXIMATE LOCATION OF PREVIOUS BORING (40'-60')
- APPROXIMATE LOCATION OF PREVIOUS BORING (60'-80')
- APPROXIMATE LOCATION OF PREVIOUS BORING (>100')
- APPROXIMATE LOCATION OF EXISTING NAVY GEX REPORT
- ↔ APPROXIMATE LOCATION OF CROSS SECTION
- APPROXIMATE THICKNESS OF SAND LAYER 0-5 FT.
- APPROXIMATE THICKNESS OF SAND LAYER 5-10 FT.
- APPROXIMATE THICKNESS OF SAND LAYER 10-15 FT.

(INFORMATION SUBJECT TO REFINEMENT WITH FURTHER EXPLORATION)



BASE MAP SOURCE: CARLSON, BARBEE & GIBSON



THICKNESS OF POTENTIALLY LIQUEFIABLE SAND LAYER
ALAMEDA POINT
ALAMEDA, CALIFORNIA

PROJECT NO.:	5687.1.001.02
DATE:	APRIL, 2003
DRAWN BY:	CLL
CHECKED BY:	DSH

FIGURE NO.
15