

CITY OF ALAMEDA
MAINTENANCE SPECIFICATIONS
AND PLANS
FOR
REMOVE AND REPLACE HVAC
DIRECT DIGITAL CONTROLS AT THE
ALAMEDA POLICE DEPARTMENT
P.W. No. 01-14-01

NO PREBID MEETING

BID DUE DATE:
BID OPENING TIME:
LOCATION:

**Monday, March 3, 2014 by 2 p.m.
2:01 p.m.**
City of Alameda
Public Works Department
950 W. Mall Square, Room 110
Alameda, CA 94501



Jesse Barajas
Public Works Superintendent

TABLE OF CONTENTS

Section I.	Proposal and Contract Requirements
Section II.	Legal Relations and Responsibility
Section III.	Scope of Work
Section IV.	Control
Section V.	Measurements and Payment
Section VI.	Quantities
Section VII.	Construction Details
Exhibit A	Bidder's Proposal
Exhibit B	Contractor's Certified Payroll Forms
Exhibit C	Contractor Agreement
Exhibit D	Emergency Form
Exhibit E	Performance Bond Form
Exhibit F	Payment Bond Form
Exhibit G	Bidder's Bond
Exhibit H	Project Plans (Alameda Police Station, HVAC Control Replacements)
Exhibit I	Direct Digital Controls Sheets

CITY OF ALAMEDA, CALIFORNIA

SPECIFICATIONS, SPECIAL PROVISIONS AND PLANS
FOR
MAINTENANCE

SECTION I. PROPOSAL AND CONTRACT REQUIREMENTS

A. GENERAL INFORMATION. The City of Alameda will receive sealed bids at the time and place specified in the advertisement calling for bids for:

**REMOVE AND REPLACE HVAC DIRECT DIGITAL CONTROLS AT THE
ALAMEDA POLICE DEPARTMENT, P.W. No. 01-14-01**

Electronic specifications and bidders forms for bidding this project can only be obtained at the City of Alameda website, www.cityofalamedaca.gov/Business/Bids-RFPs or by calling (510) 747-7900. There is no cost for the specification.

B. EXAMINATION OF PLANS, SPECIFICATIONS, SPECIAL PROVISIONS AND SITE OF WORK. The bidder is required to examine carefully the site and the proposal, plans, specifications and contract forms for the work contemplated, and it will be assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, the special provisions and the contract.

C. DESIGNATIONS. As used herein "City" shall mean the City of Alameda; "Council" or "City Council" shall mean the Council of the City; "City Manager" shall mean the City Manager of the City; "Engineer" or "PW Supervisor" shall mean the Public Works Supervisor or Public Works Supervisor's designee of the City; "Director" shall mean the Public Works Director of the City; and "Contractor" shall mean the bidder who is awarded the contract for the work.

D. PROPOSAL FORM. All bids must be made upon blank forms which are included in these specifications (A).

All bids must give the prices proposed, **both in writing and in figures.** Bids must be signed by the Bidder. If the proposal is signed by an individual, that individual's name and business address must be shown. If made by a firm or partnership, the name and the post office address of each member of the firm or partnership must be shown. If made by a corporation, the proposal must show the name of the state under the laws of which the corporation was chartered and the names, titles, and business addresses of the president, secretary and treasurer.

E. PRESENTING AND MARKING OF BIDS. Bids must be presented to the Public Works Department, 950 W. Mall Square, Room 110, Alameda, California, under sealed cover, plainly marked on the outside, **REMOVE AND REPLACE HVAC DIRECT DIGITAL CONTROLS AT THE ALAMEDA POLICE DEPARTMENT, P.W. No. 01-14-01**, not later than **2:00 p.m.** on the date set forth in the following paragraph.

Bids will be opened in the City of Alameda Public Works Department, 950 W. Mall Square, Room 110, Alameda, CA at **2:01 p.m. on Monday, March 3, 2014.**

F. BIDDER'S GUARANTY. All bids shall be accompanied by one of the following forms of bidder's guaranty: cash, a cashier's check, a certified check, or a bidder's bond executed by an admitted surety insurer, made payable to the City of Alameda. The security shall be in an amount equal to at least ten percent (10%) of the amount bid. A bid shall not be considered unless one of the forms of bidder's security is enclosed with it. If, in lieu of depositing cash, a cashier's check, or a certified check, the bidder submits a bidder's bond, the said bond shall, in form, be satisfactory to the City Attorney of the City of Alameda. A Bid Bond form is provided in Exhibit G.

Said bidder's guaranty which is submitted according to the above paragraph shall, in the event of the failure, for any reason, of the successful bidder or bidders to execute the contract as awarded, be deemed to be liquidated damages to be retained in full by the City of Alameda, but shall not be construed as a penalty for failure to execute said contract. The full amount of the said bidder's guaranty shall also be retained in full by the City of Alameda as consideration payable to the City of Alameda for engineering, accounting and clerical services in formulating specifications for such bid or bids, for advertising costs to the City of Alameda in connection with such bid or bids, and further, as consideration for the award of such contract to such bidder or bidders.

Any bid bond submitted under this Section shall incorporate therein by reference, or otherwise, all of the provisions of Section I, Item F, of these specifications.

G. RETURN OF BIDDER'S GUARANTIES. Within ten (10) days after the award of the contract, the Public Works staff will return the proposal guaranties accompanying the bids which are not to be considered in making the award. All other proposal guaranties will be held until the contract has been finally executed, after which they will be returned to the respective bidders whose bids they accompanied.

H. TAXES. Bids must include all state and federal taxes applicable to the transaction.

I. SUBCONTRACTORS. All contractors shall comply with the State Subletting and Subcontracting Fair Practices Act, located in Sections 4100 through 4112 of the California Public Contract Code. A copy of said Act is available in the office of the PW Supervisor. Said Act is hereby made a part of the specifications on the above-mentioned job and all contractors submitting bids shall accompany the bid with information regarding subcontractors as therein provided. All Subcontractors shall have a current City of Alameda business license.

J. REJECTION OR RETURN OF BIDS. Bids may be rejected if they show any alterations of form, additions not called for, conditional or alternative bids, incomplete bids, erasures or irregularities of any kind. The right is reserved to reject any and all bids. The City reserves the right to return bids unopened.

K. BID PROTEST. Any bid protest must be submitted in writing to the Public Works Director, City of Alameda Public Works Department, City Hall West, 950 West Mall Square, Room 110, Alameda, CA 94501 before 5:00 p.m. of the 10th business day following bid opening.

1. The initial protest document shall contain a complete statement of the basis for the protest.
2. The protest shall refer to the specific portion of the document which forms the basis for the protest.
3. The protest shall include the name, address, and telephone number of the person representing the protesting party.
4. The party filing the protest shall concurrently transmit a copy of the initial protest document and any attached documentation to all other parties with a direct financial interest which may be adversely affected by the outcome of the protest. Such parties shall include all other Bidders or proposers who appear to have a reasonable prospect of receiving an award depending upon the outcome of the protest.
5. The Public Works Director will issue a decision on the protest. If the Public Works Director determines that a protest is frivolous, the party originating the protest may be determined to be irresponsible and that party may be determined to be ineligible for future contract awards.
6. The procedure and time limits set forth in this paragraph are mandatory and are the Bidder's sole and exclusive remedy in the event of Bid protest and failure to comply with these procedures shall constitute a waiver of any right to further pursue the bid protest, including filing a Government Code Claim or legal proceedings.

L. AWARD OF CONTRACT. The award of contract, if it be awarded, will be to the responsible bidder who submits the lowest and best bid and whose proposal complies with all requirements described herein. The award, if made, will be made within ninety (90) days after the opening of the bids. All bids will be compared on the basis of the Engineer's estimate of quantities of work to be done. In the event of a delay the City reserves the right to hold the Bidder to its bid for 90 days from the date the contract is awarded.

Bid protests, contracts, bonds, insurance, and other documents identified in these specifications and these special provisions are to be delivered to the following City address: City of Alameda, City Hall West, Public Works Department, 950 West Mall Square, Room 110, Alameda, CA 94501.

M. EXECUTION OF CONTRACT. The contract, in form and content satisfactory to the City, will be awarded at a regular City Council meeting (first and third Tuesdays of each month, except August). At least five (5) business days prior to the anticipated award date, the Contractor will be notified of apparent award status and requested to provide the documents necessary to complete the contract process. Required documentation shall include two (2) copies of the contract executed by the Contractor, proof of insurance and Payment and Performance bonds. The Contractor will be given five (5) business days from the date the City Council awards the contract to obtain the relevant bonds and insurance along with any other documents required for submission.

No proposal shall be considered binding upon the City until the execution of the contract. Failure to execute a contract and file acceptable bonds and insurance as provided herein within the time frame outlined above shall be just cause for the annulment of the award and the forfeiture of the bidder's guaranty.

N. CONTRACT BONDS. The Contractor shall furnish two good and sufficient bonds. One of the bonds shall be executed in a sum equal to at least one hundred percent (100%) of the contract price, which shall be furnished as required by the Terms of Section 3247 to 3252 of the Civil Code of the State of California (see Exhibit F). The other bond shall guaranty faithful performance of the said contract by the Contractor and shall be executed in a sum equal to at least one hundred percent (100%) of the contract price (see Exhibit E). Bonds shall be furnished by a surety company satisfactory to the City of Alameda.

Whenever any surety or sureties on any such bonds, or any bonds required by law for the protection of the claims of laborers and materials, become insufficient or the City PW Supervisor has cause to believe that such surety or sureties have become insufficient, a demand in writing may be made of the Contractor for further bond or bonds or additional surety not exceeding that originally required, as is considered necessary, taking into account the extent of the work remaining to be done. Thereafter no payment shall be made upon such contract to the Contractor, or any assignee of the Contractor, until such further bond or bonds or additional surety has been furnished. Faithful performance bonds, whether by individual or corporate surety, shall in addition to other terms and conditions, contain the conditions that (1) death of the named principal shall not operate as a release of the obligation hereunder of the surety, and (2) extensions of time, if any, granted by the City to Contractor for performance of the work covered by said bond shall extend for a like time the period of limitations during which surety shall remain bound by the said undertaking.

SECTION II. LEGAL RELATIONS AND RESPONSIBILITIES

A. LAWS TO BE OBSERVED. The Contractor shall keep himself fully informed of all existing and future state and federal laws and all municipal ordinances and regulations of the City of Alameda which in any manner affect those engaged or employed in the work, or the materials used in the work, or which in any way affect the conduct of the work, and of all such orders and decrees of bodies or tribunals having any jurisdiction or authority over the same.

B. PREVAILING WAGES:

1. The Contractor is aware of the requirements of California Labor Code sections 1720 et seq. and 1770 et seq., as well as California Code of Regulations, Title 8, section 16000 et seq. ("Prevailing Wage Laws"), which require the payment of prevailing wage rates and the performance of other requirements on certain "public works" projects. Since this Project involves a "public work" project, as defined by the Prevailing Wage Laws, Contractor shall fully comply with such Prevailing Wage Laws. Contractor's failure to comply with the Prevailing Wage Law may constitute a default under the contract for performance of the Work which would entitle the City to rescind the contract or exercise other remedies as provided by law or the contract.

2. The Contractor shall obtain a copy of the prevailing rates of per diem wages at the commencement of this Contract from the website of the Division of Labor Statistics and Research of the Department of Industrial Relations located at www.dir.ca.gov/dlsr/. In the alternative, the Contractor may view a copy of the prevailing rates of per diem wages at the City's Public Works Department, Building 1, 950 W. Mall Square, Room 110, Alameda. The Contractor shall make copies of the prevailing rates of per diem wages for each craft, classification or type of worker needed to perform work on the Project available to interested parties upon request, and shall post copies at the Contractor's principal place of business and at the Project site. The Contractor shall defend, indemnify and hold the City, its elected officials, officers, employees and agents free and harmless from any claims, liabilities, costs, penalties or interest arising out of any failure or alleged failure to comply with the Prevailing Wage Laws and/or the City's Labor Compliance Program (hereinafter referred to as "LCP"), if any.

3. If this project is funded in whole or in part with Federal monies and subject to the provisions of the Davis-Bacon Act, the successful bidder shall pay not less than the wage rates determined by the Secretary of Labor. The Federal wage rates shall apply unless the State wage rates are higher. The Federal Wage Rates applicable to the contract are those current within ten (10) days of the bid due date.

4. The Contractor and all subcontractors shall pay and shall cause to be paid each worker engaged in work on the Project not less than the general prevailing rate of *per diem* wages determined by the Director, regardless of any contractual relationship which may be alleged to exist between the Contractor or any Subcontractor and such workers.

5. The Contractor and all subcontractors shall pay and shall cause to be paid to each worker needed to execute the work on the Project travel and subsistence payments, as such travel and subsistence payments are defined in the applicable collective bargaining Contracts filed with the Department of Industrial Relations in accordance with Labor Code § 1773.8.

6. If during the period any bid for work on this Project remains open, the Director of Industrial Relations determines that there has been a change in any prevailing rate of *per diem* wages in the locality in which this public work is to be performed, such change shall not alter the wage rates in the Notice calling for Bids or the contract subsequently awarded.

7. Pursuant to Labor Code § 1775, the Contractor shall as a penalty to the City, forfeit Fifty Dollars (\$50.00) for each calendar day, or portion thereof, for each worker paid less than the prevailing rate of *per diem* wages, determined by the Director, for such craft or classification in which such worker is employed for any public work done under the Contract by the Contractor or by any Subcontractor under it. The amount of the penalty shall be determined by the Labor Commission. In addition, the difference between such prevailing rate of *per diem* wage and the amount paid to each worker for each calendar day or portion thereof for which each worker was paid less than the prevailing rate of *per diem* wage shall be paid to each work by the Contractor.

8. Any worker employed to perform work on the Project, which work is not covered by any craft or classification listed in the general prevailing rate of *per diem* wages determined by the Director, shall be paid not less than the minimum rate of wages specified therein for the craft or classification which most nearly corresponds to the work on the Project to be performed by them, and such minimum wage rate shall be retroactive to time of initial employment of such person in such craft or classification.

9. For those crafts or job classifications requiring special prevailing wage determinations, please contact the Division of Labor Statistics and Research, Prevailing Wage Unit, P.O. Box 420603, San Francisco, CA 94142-0603, (415) 703-4774 or check out the web site at www.dir.ca.gov.

C. HOURS OF LABOR.

1. As provided in Article 3 (commencing at § 1810), Chapter 1, Part 7, Division 2 of the Labor Code, eight (8) hours of labor shall constitute a legal day's work. The time of service of any worker employed at any time by the Contractor or by any Subcontractor on any subcontract under this Contract, upon the work or upon any part of the work contemplated by this Contract, is limited and restricted to eight (8) hours during any one calendar day and forty (40) hours during any one calendar week, except as hereinafter provided. Notwithstanding the provision hereinabove set forth, work performed by employees of Contractor in excess of eight (8) hours per day and forty (40) hours during any one week shall be permitted upon this public work provided that the employees' compensation for all hours worked in excess of eight (8) hours per day at not less than one and one-half (1-1/2) times the basic rate of pay.

2. The Contractor shall pay to the City a penalty of Twenty-five Dollars (\$25.00) for each worker employed in the execution of this Contract by the Contractor, or by any Subcontractor, for each calendar day during which such worker is required or permitted to work more than eight (8) hours in any calendar day and forty (40) hours in any one (1) calendar week, in violation of the provisions of Article 3 (commencing at § 1810), Chapter 1, Part 7, Division 2 of the Labor Code, unless compensation for the workers so employed by Contractor is not less than one and one-half (1-1/2) times the basic rate of pay for all hours worked in excess of eight (8) hours per day.

3. Holiday and overtime work, when permitted by law, shall be paid for at a rate of at least one and one-half (1½) times the above specified rate of *per diem* wages, unless otherwise specified. Holidays shall be defined in the Collective Bargaining Contract applicable to each particular craft, classification, or type of worker employed.

D. CERTIFIED PAYROLL.

1. Contractor's attention is directed to California Labor Code Section 1776, which requires Contractor and any subcontractors to keep an accurate payroll record and which imposes inspection requirements and penalties for non-compliance. Certified payrolls shall be prepared and submitted weekly to the Labor Compliance Officer, Gail Carlson, Public Works Department, 950 W. Mall Square, Room 110, Alameda, CA 94501 by the Contractor and each subcontractor. Contractor is responsible for the submission of copies of payrolls by all subcontractors. Each payroll submitted shall be accompanied by a "Statement of Compliance", signed by the Contractor or subcontractor or his/her agent who pays or supervises the payment of the persons employed under the contract, and shall certify the following:

a. That the payroll for each payroll period contains the name, social security number, and address of each employee, his or her correct classification, including applicable area and group code, hourly rates of wages paid, daily and weekly number of hours worked, deductions made and actual wages paid, and that such information is correct and complete;

b. That such laborer or mechanic (including each helper, apprentice and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions; and

c. That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.

2. If the Contractor or a subcontractor does not work during the payroll period, a Statement of Non-Working Days must be submitted for each day not worked.

3. In the event of noncompliance with the requirements of such section after 10 Days written notice specifying in what respects compliance is required, the CONTRACTOR shall forfeit as a penalty to the CITY, \$25.00 for each calendar Day, or portion thereof, for each worker, until strict compliance is effectuated. Upon the request of the Division of Apprenticeship Standards or the Division of Labor Standards Enforcement, such penalties shall be withheld from progress payments then due.

E. APPRENTICES.

1. Attention is directed to the provisions in sections 1777.5 and 1777.6 of the Labor Code concerning the employment of apprentices by the Contractor or any subcontractor under him on contracts greater than \$30,000 or 20 working days. The Contractor and any subcontractor under him shall comply with the requirements of Sections 1777.5 and 1777.6 in the employment of apprentices.

2. Section 1777.5 requires the Contractor or subcontractor employing workers in any apprenticeable occupation to apply to the joint apprenticeship committee nearest the site of the public works project, and which administers the apprenticeship program in that trade, for a certificate of approval, if they have not previously applied and are covered by the local apprenticeship standards.

3. The Contractor is required to make contributions to funds established for the administration of apprenticeship programs if: (1) the Contractor employs registered apprentices or journeymen in any apprenticeable trade on such contracts and if other contractors on the public works site are making such contributions; or (2) if the Contractor is not a signatory to an apprenticeship fund and if the funds administrator is unable to accept Contractor' required contribution. The Contractor or subcontractor shall pay a like amount to the California Apprenticeship Council.

4. Information relative to apprenticeship standards, wage schedules, and other requirements may be obtained from the Director of Industrial Relations, ex-officio the Administrator of Apprenticeship, San Francisco, California, or from the Division of Apprenticeship Standards and its branch offices.

F. LABOR DISCRIMINATION. No discrimination shall be made in the employment of persons upon public works because of the race, color, sex, religion, age, national origin, sexual orientation, or physical disability of such persons and every Contractor for public works violating this section is subject to all the penalties imposed for a violation of the provisions of the Labor Code, and, in particular, Section 1735.

G. REGISTRATION OF CONTRACTORS. Before submitting bids, contractors shall be licensed in accordance with the provisions of Chapter 9, Division 3, of the Business and Professional Code of the State of California.

H. PERMITS AND LICENSES. The Contractor shall procure all permits and licenses, including City of Alameda business licenses, pay all charges and fees, and give all notices necessary and incidental to the due and lawful prosecution of the work. However, the contractor will be reimbursed for construction permit fees. The estimated cost shown as an allowance in the bid proposal is only for bidding purposes. Payment shall be made for the actual cost of the permit. The cost for a City of Alameda business license is not reimbursable. Each Subcontractor shall have a current City of Alameda business license.

The following permit(s) and/or license(s) are required for this project:

1. **A City of Alameda Business License from the City of Alameda, 2263 Santa Clara Avenue, Finance Department, Room 220, Alameda.**
2. **“Excavation” and “Electrical”, Permits from City Hall, 2263 Santa Clara Avenue, Planning and Building Services, Room 190, Alameda.**

I. PATENTS. The Contractor shall assume all costs arising from the use of patented materials, equipment, devices or processes used on or incorporated in the work, and agrees to indemnify and hold harmless the City of Alameda, its officers, employees and agents from all suits at law or actions of any nature, damages, royalties and costs on account of the use of any patented materials, equipment, devices or processes.

J. RESPONSIBILITY FOR DAMAGES. The City of Alameda, its officers, employees and agents shall not be answerable or accountable in any manner for any loss or damage to the work or any part thereof, nor to any material or equipment used in performing the work, nor for injury or damage to any person or persons, either workers or the public, nor for damage to adjoining property from any cause whatsoever during the progress of the work nor at any time before final acceptance.

K. CONTRACTOR'S RESPONSIBILITY FOR THE WORK. Except as provided above, until formal acceptance of the work by the City, the Contractor shall have the charge and care thereof and shall bear the risk of injury or damage to any part thereof by the action of the elements or from any other cause, whether arising from the execution or from the non-execution of the work. The Contractor shall rebuild, repair, restore and make good all injuries or damages to any portion of the work occasioned by any of the above causes before final acceptance and shall bear the expense thereof, except such injuries or damages occasioned by acts of the Federal Government or the public enemy. The Contractor will not be responsible for the cost of repairing or restoring damage to the work, which damage is determined to have been proximately caused by an act of God, in excess of 5% of the contracted amount.

L. SAFETY PROVISIONS. The Contractor shall conform to the rules and regulations pertaining to safety established by the California Division of Occupational Safety and Health of the Industrial Relations Department (CAL-OSHA).

M. NO PERSONAL LIABILITY. Neither the City Council, City Manager, the City PW Supervisor, nor any other City officer, authorized assistant or agent shall be personally responsible for any liability arising under this contract.

N. RESPONSIBILITY OF CITY. The City of Alameda shall not be held responsible for the care or protection of any material or parts of the work prior to final acceptance, except as expressly provided in these specifications.

O. PUBLIC CONVENIENCE AND SAFETY. The Contractor shall so conduct operations as to cause the least possible obstruction and inconvenience to public traffic. The Contractor shall furnish, erect and maintain such fences, barriers, lights and signs as are necessary or as required by the PW Supervisor to give adequate warning to the public at all times that the work is in progress and of any dangerous conditions to be encountered as a result of the work or of the presence of the Contractor's equipment or machinery.

The use of Flex-o-Lite Model No. 501, or approved equal, will be permitted only in specifically approved locations and only to the extent of 50 percent of the total amount of necessary lighting. Other models of lesser candle power may be permitted in some approved locations at a lesser percentage.

P. NOTICES TO CONTRACTOR. Any notice required to be given to the Contractor by the City of Alameda or by the City PW Supervisor or by any officer of said City may be given to said Contractor at the address shown in the Contractor's proposal. Such notice may be given by mailing a copy of said notice to the Contractor to such address by United States certified mail. Evidence of such mailing shall be deemed the equivalent of personal services of said notice.

Q. UTILITIES. The location of railroad tracks, utility facilities and other structures shall be the responsibility of the Contractor. The Contractor shall contact the owners of those tracks, facilities and structures for any information that may be required. The Contractor shall contact Underground Services Alert (USA) at 800-642-2444 forty-eight (48) hours prior to commencement of work.

Where existing sewers and storm drains cross or interfere in any way with construction under this contract, they shall be left in place and the Contractor shall work around them, or where feasible and practical, the Contractor may, with the permission of the City PW Supervisor, remove and replace them at his/her own expense. Precautions shall be exercised to provide bearing under existing sewer lines so encountered to preclude settlement during or after the term of the contract. In the event that some of these sewers are abandoned, they may, with the permission of the City PW Supervisor, be removed and not replaced. The Contractor shall provide submittals for the PW Supervisor's review and approval for supporting utilities.

The owners of pipes, wires, conduits, vaults and other utilities (other than sewers) located in the City streets which could conflict with the proposed work will be notified by the City PW Supervisor to remove or adjust the same, without cost to the Contractor, to such extent as will allow the prosecution of the work described herein according to the necessities thereof and in accordance with these specifications. Wherever and whenever the Contractor anticipates working in an area from which utilities must be removed at the expense of others, he/she shall notify the City PW Supervisor sufficiently in advance (a minimum of ten (10) working days) to permit the owners thereof to rearrange or abandon such utilities, and he/she shall cooperate with the owners thereof in the performance of the work under this contract.

The work will be so prosecuted that a minimum of damage will result to utility services. In the event that utility services are damaged or interrupted, the Contractor shall immediately, at his/her own expense, restore such services in a manner satisfactory to the PW Supervisor. In the event that an interruption of utility services is sustained for a period of longer than one-half hour, it shall be the responsibility of the Contractor to notify the occupants of the premises to which said services are connected, so that no damage will accrue on or to said premises.

The Contractor shall perform all work in such manner as to prevent damage to utilities lying outside of or below a required excavation of trench area.

R. SOUND CONTROL REQUIREMENTS. Sound control shall conform to Section 4-10 of the Alameda Municipal Code, which prohibits weekday construction activities between 7:00 pm and 7:00 am.

S. CONSTRUCTION SITE CONTROLS. Within five (5) business days of the date the work is to commence pursuant to the NTP the Contractor shall submit an Erosion/Stormwater Pollution Prevention Plan (SWPPP) to the PW Supervisor for review. The SWPPP shall include appropriate erosion and sediment control measures to effectively prevent the entry of soil, dirt, debris and other pollutants to storm water runoff, the storm drain system, lagoons and the bay/estuary during construction. No work in the field under this Contract may begin until the PW Supervisor has approved the Contractor's SWPPP.

Erosion and sediment control plans/sheets shall indicate the specifications and maintenance schedules for the installation and upkeep of the erosion control mechanisms. Specifications shall be provided for the erosion control practices, perimeter protection(s), any silt fencing and fiber rolls to be used, storm drain inlet protections, stabilized construction entrance(s) and exits, site and excavation dewatering activities, vehicle tire wash area(s), vehicle and equipment servicing area(s), and the materials handling and storage area(s). These specifications should meet the same level of erosion and sediment control effectiveness established by practices identified in the San Francisco Bay Regional Water Quality Control Board's Erosion and Sediment Control Field Manual (510-622-2465), the Association of Bay Area Government's Manual of Standards for Erosion and Sediment Control (510-464-7900) and/or the California Stormwater Quality Association's Stormwater Best Management Practice Handbook – Construction (2003) (www.cabmphandbooks.com). Contact City Public Works Department Clean Water Program Specialist Jim Barse (510-747-7930) for additional assistance in obtaining copies of these reference documents.

The Contractor is responsible for ensuring that all of his/her workers and subcontractors are aware of and implement the specific stormwater quality control measures under the approved SWPPP. The Contractor(s) shall avoid creating excess dust when breaking asphalt/concrete and during excavation and grading. If water is to be used as a measure for dust control, use as little as possible. All wash water shall be kept out of streets, gutters and storm drains. Controls shall be implemented before construction begins and maintained until the end of construction at which time they shall be removed.

Failure to comply with the following approved construction Best Management Practices ("BMPs") shall result in the issuance of correction notices, citations and/or a project stop order:

1. Gather all construction debris on a regular basis and place it in a dumpster or other container which is emptied or removed on a weekly basis. When appropriate, use tarps on the ground to collect fallen debris or splatters that could contribute to stormwater pollution. After breaking old pavement, remove all pieces to avoid contact with rainfall or runoff.

2. Remove on-site piles from the site on a regular basis. Only temporary storage is allowed. All temporary soil or other stockpiles on site shall be securely covered with a tarp, plastic sheeting or similar material.
3. Remove all dirt/mud, gravel, rubbish, refuse and green waste from the sidewalk, street pavement, and storm drain system adjoining the project site daily and prior to rain. Clean up leaks, drips and spills immediately. Avoid unnecessary driving on unpaved areas during wet weather.
4. Install and maintain stabilized construction entrances to minimize the tracking of dirt, mud, dust and debris onto the public right-of-way.
5. Broom-sweep the sidewalk and public street pavement adjoining the project site daily and prior to rain. Caked-on mud or dirt shall be scraped from these areas before sweeping. At the completion of work the street shall be washed and the wash water collected and disposed offsite.
6. Install filter materials (such as block and gravel bags, sandbags, filter fabric) at the storm drain inlets surrounding the project site. Such inlet protections shall be installed before: the start of the rainy season (October 1st), site de-watering activities, saw-cutting activities, or any other activity that may result in the discharge of material to the storm drain. Filter materials shall be maintained and/or replaced as necessary to minimize short-cutting and to remove sediment deposits and buildup. Accumulated sediment/debris shall be disposed of properly.
7. Vacuum saw-cutting slurry and remove from site. Do not allow saw-cut slurry to enter the storm water conveyance system.
8. Create a contained and covered area on the site for the storage of cement bags, paints, flammables, oils, fertilizers, pesticides, or any other materials used on the project site that have the potential for being discharged to the storm drain system by wind, exposure to rainfall or in the event of a material spill.
9. Never clean machinery, tools, brushes, etc. or rinse containers into a street, gutter, storm drain or stream. See the *Building Maintenance and Remodeling* BMP flyer and ACCWP BMP brochures for more information. Contact the Public Works Department at 747-7930 for assistance with obtaining these documents.
10. Ensure that concrete/gunite supply trucks or concrete/plaster finishing operations do not discharge wash water into street gutters or drains. Concrete trucks shall have a self-contained washout system or discharge to a dedicated, secure site washout in order to avoid the possibility of debris on city streets or discharge of wash water to the storm water conveyance system.
11. Minimize removal of natural vegetation or ground cover from the site in order to minimize the potential for erosion and sedimentation problems. Re-plant the area, and stabilize all cut and fill slopes as soon as possible after grading is completed. At a minimum, 4,000 pounds/acre of straw with tackifier should be placed on all exposed soils including those within active work areas and flat lots. **No site grading shall occur between October 1 and May 31 unless approved erosion and sedimentation control measures are in place.**

12. Provide erosion “prevention” and perimeter protection measures (soil stabilization) such as fiber rolls, silt fence, and/or sediment traps or basins. Ensure control measures are adequately maintained and in operable condition. Sediment controls, including inlet protection, are necessary but should be a secondary defense behind good erosion control and site perimeter measures.

13. Design site de-watering operations to prevent the discharge of any sediment, debris or other pollutants to the municipal storm water conveyance system.

14. Maintain and if necessary, repair, all erosion prevention and sediment control measures throughout the contract term. Replacement supplies should be kept on site. Site inspections shall be conducted before and after each storm event, and every 24 hours for extended storm events, to identify areas that contribute to erosion and sediment problems or any other pollutant discharges. If additional measures are needed, inform the PW Supervisor immediately and document all inspection findings and actions taken.

15. Conduct visual observations before, during, and after storm events. Any breach, malfunction, leakage, or spill observed that could result in the discharge of pollutants to surface waters that might not be visually detectable in stormwater shall trigger the collection of a sample of discharge. The following procedures shall be followed during sampling:

Sampling Procedures:

- For all construction activity, identify a sampling and analysis strategy and sampling schedule for potential discharges discovered through visual monitoring.
- Any breach, malfunction, leakage, or spill observed during visual monitoring which could result in the discharge of pollutants to surface waters that would not be visually detectable in stormwater shall trigger the collection of a sample of discharge.
- Samples shall be collected at all discharge locations which drain the areas identified by the visual observations and which can be safely accessed.
- Personnel trained in water quality sampling procedures shall collect stormwater samples.
- An uncontaminated sample shall be collected for comparison with the discharge sample.
- Sampling shall be conducted during the first two hours of discharge from rain events that occur during daylight hours and which generate runoff.
- The uncontaminated sample shall be compared to the samples of discharge using field analysis or through laboratory analysis. Analyses may include, but are not limited to indicator parameters such as: pH, specific conductance, dissolved oxygen, conductivity, salinity, and TDS
- All field and/or analytical data shall be kept in the SWPPP document, which is to remain at the construction site at all times.

16. Contact the City of Alameda Public Works Department at 510-747-7930 in the event of any slope failure, sediment pond overflow, or any other malfunction resulting in sediment-laden runoff. The City shall, in turn, report such incidents to the Regional Water Quality Control Board.

17. Clearly mark with the words, “No Dumping! Drains to Bay” or the equivalent, using methods approved by the City of Alameda, onto the on-site storm drain inlets. All on-site storm drains must be inspected and, if necessary, cleaned, at least once a year immediately prior to the rainy season. Additional cleaning may be required by the City of Alameda.

18. Require all concrete trucks used in the performance of the work to have a self-contained washout system, rather than do washout on the site. The idea is to avoid:

- a. An undesirable pile of concrete on the jobsite, and
- b. The possibility of debris on city streets.

The objective of these Standard Conditions is to ensure that the City’s municipal storm water Permit, the National Pollutant Discharge Elimination System (NPDES) Permit provisions and additional Regional Water Quality Control Board requirements are adequately enforced.

These recommendations are intended to be used in conjunction with the State's Best Management Practices Municipal and Construction Handbooks, local program guidance materials from municipalities, Section 7.1.01, of the Standard Specifications and any other appropriate documents on storm water quality controls for construction. If you need assistance in checking these documents, contact Clean Water Program Specialist at 510-747-7930.

Failure to comply with the above program will result in issuance of noncompliance notices, citations, project stop orders or fines. The fine for noncompliance of the above program is two hundred and fifty dollars (\$250.00) per occurrence per day. The State under the Federal Clean Water Act can also impose a fine on the Contractor.

T. ASBESTOS AND LEAD BASED PAINTS. Reports of a survey of possible asbestos and lead based paints, in the path of construction, was prepared by ACC Environmental.

U. CLEAN AIR ACT OF 1970, ET SEQ. AND FEDERAL WATER POLLUTION CONTROL ACT AS AMENDED BY THE CLEAN WATER ACT OF 1977. The Contractor agrees to comply with federal clean air and water standards during the performance of this contract and specifically agrees to the following:

- The term “facility” means any building, plant, installation, structure, mine, vessel or other floating craft, location or site of operations owned, leased, or supervised by the Contractor and the subcontractors for the construction, supply and service contracts entered into by the Contractor;
- Any facility to be utilized in the accomplishment of this contract is not listed on the Environmental Protection Agency’s List of Violating Facilities pursuant to 40 CFR, Part 15.20;
- In the event a facility utilized in the accomplishment of this contract becomes listed on the EPA list, this contract may be canceled, terminated, or suspended in whole or in part;

- It will comply with all the requirements of Section 114 of the Clean Air Act and Section 308 of the Water Pollution Control Act relating to inspection, monitoring, entry, reports, and information, as well as all other requirements specified in Section 114 and Section 308, respectively, and all regulations and guidelines issued thereunder;
- It will promptly notify the Government of the receipt of any notice from the Director, Office of Federal Activities, Environmental Protection Agency, indicating that any facility utilized or to be utilized in the accomplishment of this contract is under consideration for listing on the EPA List of Violating Facilities;
- It will include the provisions of Paragraph a. through g. in every subcontract or purchase order entered into for the purpose of accomplishing this contract, unless otherwise exempted pursuant to the EPA regulations implementing the Air or Water Acts above (40 CFR, Part 15.5), so that such provisions will be binding on each subcontractor or vendor;

In the event that the Contractor or the subcontractor for the construction, supply and service contracts entered into for the purpose of accomplishing this contract were exempted from complying with the above requirements under the provisions of 40 CFR, Part 15.5 (a), the exemption shall be nullified should the facility give rise to a criminal conviction (see 40 CFR 15.20) during the accomplishment of this contract. Furthermore, with the nullification of the exemption, the above requirements shall be effective. The Contractor shall notify the Government, as soon as the Contractor's or the subcontractors' facility is listed for having given rise to a criminal conviction noted in 40 CFR, Part 15.20.

V. SUBMITTALS AND REQUEST FOR INFORMATION (RFI'S). The Contractor shall submit an RFI within five (5) business days of an event or question of fact arising under the Contract. The PW Supervisor in charge of the project shall have ten (10) business days to respond to an RFI or any Submittal required to be made under the Contract.

W. COMPLIANCE WITH THE CITY'S INTEGRATED PEST MANAGEMENT POLICY: The Contractor shall follow the requirements of the City's Integrated Pest Management (IPM) Policy to ensure the City is in compliance with its Municipal Regional Stormwater NPDES Permit, Order No. R2-2009-0074, issued by the California Regional Water Quality Control Board. Contractor shall follow the City's IPM Policy and utilize generally accepted IPM Best Management Practices (BMPs) to the maximum extent practicable for the control or management of pests in and around City buildings and facilities, parks and golf courses, urban landscape areas, rights-of-way, and other City properties.

Contractor will ensure that applicators will use the most current IPM technologies available to ensure the long-term prevention or suppression of pest problems and to minimize negative impacts on the environment, non-target organisms, and human health. Contractor will consider the options or alternatives listed below in the following order, before recommending the use of or applying any pesticide on City property:

1. No controls (e.g., tolerating the pest infestation, use of resistant plant varieties or allowing normal life cycle of weeds)
2. Physical or mechanical controls (e.g., hand labor, mowing, exclusion)

3. Cultural controls (e.g., mulching, disking, alternative vegetation), good housekeeping (e.g. cleaning desk area)
4. Biological controls (e.g., natural enemies or predators)
5. Reduced-risk chemical controls (e.g., soaps or oils)
6. Other chemical controls

Contractor shall ensure that only appropriate licensed applicators who are authorized and trained in pesticide application and who shall implement the City department's IPM standard operating procedures may apply pesticides to or within City property.

Restricted Chemicals

The term pesticide applies to herbicides, insecticides, fungicides, rodenticides and other substances used to control pests. Antimicrobial agents are not included in this definition of pesticides.

Contractor shall avoid the use of pesticides that threaten water quality, human health and the environment. Thus, the Contractor shall not use or promote the use of the following chemicals:

1. Acute Toxicity Category I chemicals as identified by the Environmental Protection Agency (EPA),
2. Organophosphate pesticides (e.g., those containing Diazinon, chlorpyrifos or malathion)
3. Pyrethroids (bifenthrin, cyfluthrin, beta-cyfluthrin, cypermethrin, deltamethrin, esfenvalerate, lambda-cyhalothrin, permethrin, and tralomethrin),
4. Carbamates (e.g., carbaryl),
5. Fipronil,
6. Copper-based pesticides unless:
 - a) Their use is judicious,
 - b) Other approaches and techniques have been considered, and;
 - c) Threat of impact to water-quality is prevented.

General Pesticide Usage Practices

Contractor shall ensure implementation of the following practices:

1. All pesticide applications shall be performed according to the manufacturer's instructions as detailed on the product label, and in accordance with all applicable state and local laws and regulations set forth to protect the environment, the public, and the applicator; and properly dispose of unused pesticides and their containers.
2. Pesticides that are not approved for aquatic use will not be applied to areas immediately adjacent to water bodies where through drift, drainage, or erosion, there is a reasonable possibility of a pesticide being transported into surface water.
3. Applicators will always avoid applications of pesticides that directly contact water, unless the pesticide is registered under Federal and California law for aquatic use.

4. Obtain coverage under the Statewide General NPDES Permit prior to discharging pollutants from the use of aquatic pesticides directly to the waters of the United States, or onto aquatic plants growing in waters of the United States (as required by the State Water Quality Resources Control Board).

Posting of Warning Notices Prior to Pesticide Application

1. If a pesticide with a “Warning” or “Danger” label indicator must be applied, the Contractor shall post sufficient copies of warning notices (Notice of Scheduled Chemical Application for Pest Management) and MSDS to effectively alert the public (i.e., at all entrances to a building) no less than 48 hours in advance of the pesticide application. The warning notice must be completely filled out, including name of the pesticide (both chemical and brand name), time and date of application, and with a fully legible re-entry time.

Annual Pesticide Use Summary Report

Contractor shall track pesticide use on City properties and provide an annual pesticide use summary report of pesticide application on City properties. The annual pesticide use summary report shall be submitted to the City’s Public Works Department Clean Water Program staff by a date to be determined in the scope of work and shall include the following information:

1. Product name and manufacturer
2. Active ingredient
3. The total quantity of each pesticide used during the prior fiscal year (from July 1 to June 30)
4. Target pest(s) for pesticide application(s).
5. Reasons for increases in use of pesticides that threaten water quality, specifically organophosphorous pesticides, pyrethroids, carbamates, fipronil, and copper-based pesticides.

Best Management Practices (BMPs)

To protect water quality, the Contractor shall implement the BMPs and control measures described below:

1. Follow all federal, state, and local laws and regulations governing the use, storage, and disposal of pesticides and training of pest control advisors and applicators.
2. Use the most effective, least toxic pesticides that will do the job, provided there is a choice. The agency will take into consideration the LD50, overall risk to the applicator, and impact to the environment (chronic and acute effects).
3. Apply pesticides at the appropriate time to maximize their effectiveness and minimize the likelihood of discharging pesticides in stormwater runoff. Avoid application of pesticides if rain is expected (this does not apply to the use of pre-emergent herbicide applications when required by the label for optimal results.)
4. Employ techniques to minimize off-target application (i.e. spray drift) of pesticides, including consideration of alternative application techniques. For example, when spraying is required, increase drop size, lower application pressure, use surfactants and adjuvants, use wick application, etc.
5. Apply pesticides only when wind speeds are low.

6. Mix and apply only as much material as is necessary for treatment. Calibrate application equipment prior to and during use to ensure desired application rate.
7. Do not mix or load pesticides in application equipment adjacent to a storm drain inlet, culvert, or watercourse.
8. Properly inspect applicator equipment to prevent accidental pesticide leaks, spills and hazards to applicators and the environment.
9. Meet local fire department and Alameda County Agricultural Commissioner storage requirements for pesticide products. Provide secondary containment for liquids if required.
10. Prepare spill kits, store the kits near pesticides, and train employees to use them.
11. Store pesticides and other chemicals indoors in a locked and posted storage unit, as per California Code of Regulations.
12. Store pesticides in labeled containers, as per California Code of Regulations.
13. Rinse empty pesticide/herbicide containers, and empty in the spray, as per California Code of Regulations.
14. Dispose of triple-rinsed empty pesticide containers according to recommendations of the Alameda County Agricultural Commissioner and the manufacturer.
15. Try to find a qualified user for any unwanted pesticides, or return to the manufacturer if unopened. If disposal is required, contact Alameda County's Household Hazard Waste Collection Program at (510) 670-6460 between 8:30 AM and 5:00 PM., Monday through Friday, to make appropriate disposal arrangements, or to recycle the material.
16. If changing pesticides or cleaning spray tanks, use tank rinse water as the product, over a targeted area within the application site.
17. Irrigate slowly to prevent runoff, and do not over-water.

SECTION III. SCOPE OF WORK

A. WORK TO BE DONE. The work to be done consists of furnishing all labor, tools, equipment, materials, implementing BMP's, except as herein specified, and doing all work associated with the removal and replacement of City supplied Direct Digital Controls (DDCs) for the HVAC units at the Alameda Police Department (1550 Lincoln Avenue, Alameda, CA 94501) as per the specification and plans.

The Notice to Proceed (NTP) for this project is tentatively scheduled to be issued in March 2014.

The work involves the removal and installation of HVAC DDCs (City supplied equipment). The work shall include, but not be limited to the removal and replacement of all conduits and controls. Contractor shall implement BMPs during the entire period of the project.

Contractor will provide license, labor, materials, services, skills, supervision, and necessary tools and equipment to insure that all work is executed in a professional workmanship manner. Contractor shall have the capability to perform and complete the services in all respects in accordance with the solicitation documents. Contractor hereby warrants that all services shall be performed in a timely and first-class workmanlike manner. Contractor shall keep the property and equipment free and clear at all times of litter and interferences. All materials, preparation and workmanship shall conform to the requirements of Standards of the American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE), the American Society of Mechanical Engineers (ASME), and Public Works Construction, Inc. latest version, and the plans and specification. **Contractor is required to contact and coordinate with Total Control, 1040 Commercial Street, Suite 106, San Jose, CA 95112, Ph.: (408) 441-1811 during the entire period of the project.**

Contractor shall provide the following services within the boundaries of the facility. **The work will be done at the Alameda Police Department located at 1550 Lincoln Avenue Alameda, CA 94501.**

Remedial Description

Contractor shall verify all field measurements prior to ordering, and verify measurements, as all structural measurements are factor-sized to fit as detailed in the plans. Procure all material prior to commencement of work.

Demolition/Removal

Demolition of the existing control system will occur after the new temperature control system is in place including new sensors and new field interface devices. Switch over from the existing control system to the new system will be fully coordinated with the Owner. A representative of the Owner will be on site during switch over. The Contractor shall minimize control system downtime during the switch over. Sufficient installation mechanics will be on site so that the entire switch over can be accomplished in a reasonable time frame. Remove controls which do not remain as part of the building automation system, all associated abandoned wiring and conduit, and all associated pneumatic tubing. The Owner will inform the Contractor of any equipment which is to be removed that will remain the property of the Owner. All other equipment which is removed will be properly disposed of by the Contractor. Using BMPs the Contractor will provide dust and noise protection to the residents, and secure the opening during transition time of installation of new controls, conduits or other dust/noise generating operations. Contractor shall remove debris from work site daily.

Access to Site

Unless notified otherwise, entrance to the building is restricted. No one will be permitted to enter the building unless their names have been cleared with the Owner or the Owner's Representative.

Preparation

On a daily basis Contractor shall fully complete all work begun. Flexible metallic conduit (max.3 feet) shall be used for connections to motors, actuators, controllers, and sensors mounted on vibration producing equipment. Liquid-tight flexible conduits shall be used in exterior locations and interior locations subject to moisture. Fiber optic cable shall include the following sizes; 50/125, 62.5/125 or 100/140 and only glass fiber is acceptable, no plastic. Fiber optic cables shall only be installed and terminated by an experienced contractor. BAS contractor shall submit to the Engineer the name of the intended contractor of the fiber optic cable with his submittal documents. All wiring will meet the most current code compliance and all wiring will be required to be installed in conduit. Following the provided engineered plans from the manufacturer's strict adherence shall be followed. Site conditions that may cause deviations from the design must be pre-approved by Controls Contractors before presenting it to the City Representative. Disruption of operations within the facility will not be approved without prior approval from the City representative and Police Representative. Waterline mounted sensors shall be removable without shutting down the system in which they are installed. All outside mounted enclosures shall meet the 4 NEMA-4 rating. Industry standards and application/ project specific sequence of operation shall be established before switch over, become completely familiar with the existing sequence of operation and the set points shall be established after concurrence with City Representative and Controls Contractor. Contractor shall respond to any and all complaints from residents.

Installation

Installation shall adhere to the 2014 engineered plans and applicable codes. All wiring, raceways, enclosures, junctions and splice boxes shall be installed in accordance with all applicable electrical codes and wire comply with equipment manufacturer's recommendations. All wire

will be copper and meet the minimum wire size and insulation class listed in the most current wire class size. Programming set points shall be set to current standards and changes shall be approved by the City Representative and tested for at least two weeks prior to establishing finalized and acceptance from responsible party. Insert electronic thermostat and perform proper system operation. Cover all exposed walls and foam insulate openings. Make necessary repairs to alterations to original finish, clean sites, remove debris, foam, and properly dispose of spoils.

Contractor shall not work during City holidays. City holidays for 2014 include:

New Year's Day	Wednesday, January 1, 2014
Martin Luther King, JR.	Monday, January 20, 2014
Presidents Day	Monday, February 17, 2013
Memorial Day	Monday, May 26, 2014
Independence Day	Friday, July 4, 2014
Labor Day	Monday, September 1, 2014
Veteran's Day	Tuesday, November 11, 2014
Thanksgiving Day	Thursday, November 27, 2014
Day after Thanksgiving Day	Friday, November 28, 2014
Christmas Day	Thursday, December 25, 2014

C. CLEAN UP. Contractor shall leave the work site in an acceptable clean manner at the end of each work day. Upon completion and before making application for acceptance of the work, the Contractor shall clean the street or road, borrow pits, and all ground occupied by the Contractor in connection with the work, of all rubbish, excess materials, temporary structures, and equipment; and all parts of the work shall be left in a neat and presentable condition.

SECTION IV. CONTROL

A. AUTHORITY OF THE PW SUPERVISOR. The PW Supervisor shall decide all questions which may arise as to the quality or acceptability of materials furnished and work performed; the manner of performance and rate of progress of the work; the interpretation of the plans and specifications; the acceptable fulfillment of the contract on the part of Contractor; and all questions as to claims and compensation.

The PW Supervisor's decision shall be final and he/she shall have executive authority to enforce and make effective such decisions and orders that the Contractor fails to carry out promptly.

B. PLANS. All authorized alterations affecting the requirements and information given on the approved plans shall be in writing. No changes shall be made to any plans or drawings after the same have been approved by the PW Supervisor, except by direction of the PW Supervisor.

C. SUPERINTENDENCE. Whenever the Contractor is not present on any part of the work where it may be desired to give directions, orders will be given by the PW Supervisor in writing and shall be received and obeyed by the superintendent or foreman in charge of the particular work in reference to which orders are given.

D. INSPECTION. The PW Supervisor shall at all times have access to the work during construction and shall be furnished with every reasonable facility for ascertaining full knowledge respecting the progress, workmanship, and character of materials used and employed in the work.

The Contractor shall give at least 48 hours notice in writing when he will require inspection on subgrade, formwork, concrete paving, etc. Inspection will routinely be carried out at pre-scheduled time established at the pre-construction meeting. Inspection will only be carried out for substantial quantities of work ready for inspection.

Whenever the Contractor varies the period during which work is carried on each day, he shall give due notice to the PW Supervisor, so that proper inspection may be provided. Any work done in the absence of the PW Supervisor is subject to rejection.

The inspection of the work shall not relieve the Contractor of any of his/her obligations to fulfill the contract as prescribed. Defective work shall be made good and unsuitable materials may be rejected, notwithstanding the fact that such defective work and unsuitable materials have been previously overlooked by the PW Supervisor and accepted or estimated for payment.

Working hours in the field are restricted to 8 AM through 5 PM, Monday through Thursday, excluding City Holidays, and shall constitute “normal working hours.” The Public Works Department Inspectors work on Friday’s and can be reached at 510-747-7900. In some locations, as noted on the Plans, normal working hours may be further restricted to avoid traffic and/or school-related conflicts. Any work in the field performed outside of these hours, including but not limited to construction, clean up, placement of traffic control devices, and mobilization/demobilization, shall be subject to removal and the Contractor fined \$5,000 per incident, unless such work has been previously authorized by the PW Supervisor in writing.

Inspection hours for construction shall be from 8 AM through 4 PM, Monday through Thursday, excluding City Holidays, and shall constitute “normal inspection hours.” The Public Works Department Inspectors work on Friday’s and can be reached at 510-747-7900. Unless prior written authorization has been received from the PW Supervisor, the Contractor shall not perform any work outside of these hours except for general clean up, demobilization, and placement of no-parking signs. The Contractor shall pay the salary and benefits, including overtime, of the City employee(s) for inspection of any work performed outside of the normal inspection hours. Projects financed in whole or in part with state funds shall be subject to inspection at all times by the Director of Public Works of the State of California, or his agents.

E. REMOVAL OF DEFECTIVE AND UNAUTHORIZED WORK. All work which is defective in its construction or deficient in any of the requirements of these specifications shall be remedied, or removed and replaced by the Contractor in an acceptable manner and no compensation will be allowed for such correction.

Any work done beyond the lines and grades shown on the plans or established by the PW Supervisor, or any extra work done without written authority, shall be considered as unauthorized and will not be paid for.

Upon failure on the part of the Contractor to comply forthwith with any order of the PW Supervisor made under the provisions of this article, the PW Supervisor shall have the authority to cause defective work to be remedied, or removed and replaced, and unauthorized work to be removed, and to deduct the cost thereof from any monies due or to become due the Contractor.

The fact that the work and materials have been inspected from time to time, and payments on account have been made, does not relieve the Contractor from the responsibility of replacing and making good any defective work or materials that may be discovered within one year from the date of the completion of the work by the Contractor and its acceptance by the City.

F. FINAL INSPECTION. Whenever the work provided and contemplated by the contract shall have been satisfactorily completed, the PW Supervisor will make the final inspection.

G. FINAL GUARANTEE. It is understood that the Contractor is skilled in the trade or calling necessary to perform the work set forth within the plans and specifications, and that the City of Alameda, not being skilled in such matters, relies upon the Contractor to do and perform all work, acts, and things necessary to carry out the contract in the most skilled and desirable manner, and the Contractor guarantees the workmanship and materials to be the best of their kind. The acceptance of any part or of the whole of the work by the City does not operate to release the Contractor or the Contractor's surety from said guarantee.

The Contractor shall be held responsible for and must make good any defects through faulty, improper or inferior workmanship or materials arising from or discovered in any part of the contract work within one year of the completion and acceptance of the same. The bond for faithful performance, furnished by the Contractor, shall cover such defects and protect the City of Alameda against any and all such defects.

Nothing in this section supersedes contractor obligations for repair and replacement of work pursuant to the Public Contract Code.

SECTION V. MEASUREMENTS AND PAYMENT

A. MEASUREMENTS AND PAYMENT. Payment for work done under the contract shall be made on the basis of the sums as calculated from the finally measured quantities of work done and the agreed unit and lump sum prices. Payment shall be full compensation for furnishing all labor, materials, tools and equipment and doing all the work necessary to construct the items for which payment is being made, complete in place as shown on the plans (if provided) and per manufacturer and described in the specifications.

Payment of all, or any part, of an estimate in writing may be withheld on account of any of the following:

1. Defective work not remedied;
2. Third-party claims against Contractor or City arising from the acts or omissions of Contractor or subcontractors;
3. Stop Notices;
4. Failure of Contractor to make timely payments due to subcontractors for material or labor;
5. Damage to the City or others for which Contractor is responsible;
6. Failure of Contractor to maintain, update, and submit record documents;
7. Failure of Contractor to submit schedules or their updates as required by the Contract Documents;
8. Performance of the work by Contractor without properly processed shop drawings;
9. Liquidated damages assessed;
10. Any other failure of Contractor to perform its obligations under the Contract Documents.

SECTION VI. QUANTITIES

The following preliminary estimate of the quantities of work to be done and materials to be furnished is approximate only, and the City of Alameda does not expressly or by implication agree that the actual amount of work will correspond therewith, but reserves the right to increase or decrease the amount of any class or portion of the work or to omit portions of the work that may be deemed necessary or expedient to the PW Supervisor.

Quantities shall be determined by the Contractor from plans and specifications, and /or pre-construction meeting and walk - through. The basis of award of contract shall be by the City of Alameda for the lowest and best bid that will best serve the City's need. The contract may be awarded at the discretion of the City or depending on available funding.

The City reserves the right to reject any, any portion, or all bids.

TABULATION OF PRELIMINARY ESTIMATE OF QUANTITIES

Item No.	Description	Quantity	Unit
1.	Removal and Replacement of Current Control Hardware	1	Lump Sum.
2.	Installation of 3 AHU and all associated controls as per Controls Plan	1	Lump Sum.
3.	Installation of Core System with all associated controls as per Controls Plan	1	Lump Sum
4.	Installation and Programming Supervisory control panels as per plan.	1	Lump Sum
5.	Installation and Programming of Control System as per plan including start-up and commissioning and user training	1	Lump sum
6.	Permits	1	Allowance

SECTION VII. CONSTRUCTION DETAILS

The construction details covered under this Section VII shall be Special Provisions.

A. MAINTAINING TRAFFIC. Attention is directed to Section 7-1.08, "Public Convenience", 7-1.09, "Public Safety", of the State of California Standard Specifications, and to Section II, Article O of these specifications.

B. EXTENT OF CONTRACT. The Contractor shall furnish all labor, material has herein specified, tools and equipment necessary and shall do all the work necessary to construct and put in complete order for use the construction project contemplated by these specifications, the various items, and in the approximate quantities tabulated in the Proposal (Exhibit A).

The work to be done shall be included in the service, repairs and updates in the installation unit price and all related services, including applying BMP's, and consist of furnishing all labor, vehicles, tools, equipment, materials, parts, components, except as herein specified, and doing all the work associated with the installation of HVAC Direct Digital Controls system at the Alameda Police Department in accordance with all plans and specifications.